

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 09/01/2020 Revision date: 14/04/2021 Supersedes version of: 09/01/2020 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Wasp & Fly Killer
UFI	: WU8G-4VF7-N00K-K66V
Product code	: 30000007740
Synonyms	: CEL52647E
Other means of identification	: 120052

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Use of the substance/mixture

: Biocidal product

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Evergreen Garden Care UK Ltd 1, Archipelago Lyon Way GU16 7ER Frimley - United Kingdom T 01276 401300 E-mail address of competent person responsible for the SDS : <u>info-sds@evergreengarden.com</u>

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	24hr Emergency Telephone Number		+44 (0) 1865 407 333	Will route to NCEC out of hours.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

 Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Aerosol, Category 1
 H222;H229

 Hazardous to the aquatic environment — Chronic Hazard, Category 2
 H411

 Full text of H statements : see section 16
 H411

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2	008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H411 - Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P273 - Avoid release to the environment. P391 - Collect spillage. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
isobutane	(CAS-No.) 75-28-5 (EC-No.) 200-857-2 (EC Index-No.) 601-004-00-0	10 – 25	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Naphtha (petroleum), heavy alkylate; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C3 to C5. It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C9 through C12 and boiling in the range of approximately 150°C to 220°C (302°F to 428°F).]	(CAS-No.) 64741-65-7 (EC-No.) 265-067-2 (EC Index-No.) 649-275-00-4	5 – 10	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
butane	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0	5 – 10	Flam. Gas 1A, H220
PIPERONYL BUTOXIDE	(CAS-No.) 51-03-6 (EC-No.) 200-076-7	< 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with hydrocarbon solvents substance with a Community workplace exposure limit	(CAS-No.) 89997-63-7 (EC-No.) 289-699-3	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
Distillates (petroleum), hydro- treated light; Kerosine— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approxi mately 150 °C to 290 °C (302 °F to 554 °F).]	(CAS-No.) 64742-47-8 (EC-No.) 265-149-8 (EC Index-No.) 649-422-00-2	< 1	Asp. Tox. 1, H304

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-	(CAS-No.) 55965-84-9	< 1	Acute Tox. 3 (Oral), H301
one and 2-methyl-2H-isothiazol-3-one (3:1)	(EC Index-No.) 613-167-00-5		Acute Tox. 2 (Dermal), H310
			Acute Tox. 1 (Inhalation), H330
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			Skin Sens. 1, H317
			Aquatic Acute 1, H400 (M=100)
			Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5	(0.0015 ≤C < 100) Skin Sens. 1, H317 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.6 ≤C < 100) Skin Corr. 1B, H314	

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effe	cts, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the subst	tance or mixture
Explosion hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up	
For containment Methods for cleaning up	: Collect spillage. : Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities

Storage conditions

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection	
8.1. Control parameters	
8.1.1 National occupational exposure and biological limit values	
isobutane (75-28-5)	

Ireland - Occupational Exposure Limits	
Local name Butane, all isomers	
OEL STEL	1000 mg/m ³
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018

butane (106-97-8)	
United Kingdom - Occupational Exposure Limits	
Local name	Butane
WEL TWA (OEL TWA) [1]	1450 mg/m ³
WEL TWA (OEL TWA) [2]	600 ppm
WEL STEL (OEL STEL)	1810 mg/m ³
WEL STEL (OEL STEL) [ppm]	750 ppm
Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE

Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with hydrocarbon solvents (89997-63-7)	
Ireland - Occupational Exposure Limits	
Local name	Pyrethrins (ISO)
OEL TWA [1]	1 mg/m ³

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with hydrocarbon solvents (89997-63-7)	
Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
United Kingdom - Occupational Exposure Limits	
Local name	Pyrethrum
WEL TWA (OEL TWA) [1]	1 mg/m ³ purified of sensitising lactones
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:	
Safety glasses	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical p	roperties		
9.1. Information on basic physical and ch	emical properties		
Physical state	: Gas		
Colour	: Off-white.		
Odour	: characteristic.		
Odour threshold	: No data available		
рН	: 7		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Extremely flammable aerosol.		
Vapour pressure	: No data available		
Relative vapour density at 20 °C	: No data available		
Relative density	: No data available		
Solubility	: No data available		
Partition coefficient n-octanol/water (Log Pow)	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: Pressurised container: May burst if heated.		
Oxidising properties	: No data available		
Explosion limits	: No data available		

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Pressurised container: May burst if heated. Extremely flammable aerosol.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1 Information on toxicological effects		
		Acute toxicity (oral)
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isobutane (75-28-5)		
LC50 Inhalation - Rat	> 10 mg/l	
by treating a petroleum fraction wit	ted light; Kerosine— unspecified; [A complex combination of hydrocarbons obtained th hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon ge of C9 through C16 and boiling in the range of approxi mately 150 °C to 290 °C (302	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	5.53 mg/l	
Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with hydrocarbon solvents (89997-63-7)		
LD50 oral rat	200 mg/kg (Rat, Oral)	
LC50 Inhalation - Rat	3.4 mg/l (4 h, Rat, Inhalation)	
Skin corrosion/irritation	: Not classified pH: 7	
Serious eye damage/irritation	Not classified pH: 7	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified : Not classified	
Carcinogenicity		

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute)	Toxic to aquatic life with long lasting effects.Not classified
Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	: Toxic to aquatic life with long lasting effects.

: Not classified

: Not classified

: Not classified

: Not classified

Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with hydrocarbon solvents (89997-63-7)	
LC50 - Fish [1]	0.049 mg/l (96 h, Lepomis macrochirus, Static system)
NOEC chronic fish	< 0.0001

12.2. Persistence and degradability

Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with hydrocarbon solvents (89997-63-7)		
	Persistence and degradability	Contains readily biodegradable component(s).

Reproductive toxicity

STOT-single exposure

Aspiration hazard

STOT-repeated exposure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.3. Bioaccumulative potential	
by treating a petroleum fraction with hydrogen	erosine— unspecified; [A complex combination of hydrocarbons obtained n in the presence of a catalyst. It consists of hydrocarbons having carbon ough C16 and boiling in the range of approxi mately 150 °C to 290 °C (302
Partition coefficient n-octanol/water (Log Kow)	3
Chrysanthemum cinerariaefolium, extract from hydrocarbon solvents (89997-63-7)	n open and mature flowers of Tanacetum cinerariifolium obtained with
Partition coefficient n-octanol/water (Log Pow)	6.15 (Estimated value)
12.4. Mobility in soil	
Chrysanthemum cinerariaefolium, extract from hydrocarbon solvents (89997-63-7)	n open and mature flowers of Tanacetum cinerariifolium obtained with
Ecology - soil	Not toxic to plants. Toxic to bees.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption (ADR)			
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Dangerous for the Dangerous for the	e	Dangerous for the	Dangerous for the	Dangerous for the
environment : Yes environment : Ye Marine pollutant : Y	s	environment : Yes	environment : Yes	environment : Yes
No supplementary information available	I		1	I
4.6. Special precautions for user				
verland transport				
lassification code (ADR)	: 5F			
pecial provisions (ADR)		327, 344, 625		
imited quantities (ADR)	: 11			
xcepted quantities (ADR)	: E0	7 1 0000		
acking instructions (ADR)		7, LP200		
pecial packing provisions (ADR) lixed packing provisions (ADR)	: MP9	7, RR6, L2		
ransport category (ADR)	: 2			
pecial provisions for carriage - Packages (ADR)	: V14			
pecial provisions for carriage - Loading, unloading		, CV12		
nd handling (ADR)	-			
pecial provisions for carriage - Operation (ADR)	: S2			
unnel restriction code (ADR)	: D			
ransport by sea				
pecial provisions (IMDG)		90, 277, 327, 344, 381, 959		
acking instructions (IMDG)		7, LP200		
pecial packing provisions (IMDG)	: PP8	7, L2		
mS-No. (Fire)	: F-D			
mS-No. (Spillage)	: S-U			
towage category (IMDG) towage and handling (IMDG)		, SW22		
egregation (IMDG)	: SG6			
	. 360	5		
ir transport CA Excepted quantities (IATA)	: E0			
CA Limited quantities (IATA)	: Y203	3		
CA limited quantity max net quantity (IATA)	: 30kg			
CA packing instructions (IATA)	: 203			
CA max net quantity (IATA)	: 75kg	I		
AO packing instructions (IATA)	: 203			
AO max net quantity (IATA)	: 150k	¢g		
pecial provisions (IATA)		5, A167, A802		
RG code (IATA)	: 10L			
nland waterway transport				
lassification code (ADN)	: 5F			
pecial provisions (ADN)		327, 344, 625		
imited quantities (ADN)	: 1L			
xcepted quantities (ADN)	: E0 : PP, I	EX A		
quipment required (ADN) entilation (ADN)		EX, A 1, VE04		
umber of blue cones/lights (ADN)	. v⊑u : 1	I, V∟U T		
ail transport				
lassification code (RID)	: 5F			
pecial provisions (RID)		327, 344, 625		
imited quantities (RID)	: 1L	, - ,		
Excepted quantities (RID) : E0				
,		7, LP200		
pecial packing provisions (RID)		7, RR6, L2		
lixed packing provisions (RID)	: MP9			
ransport category (RID)	: 2			
pecial provisions for carriage – Packages (RID)	: W14			
Special provisions for carriage - Loading, unloading and handling (RID)		9, CW12		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Colis express (express parcels) (RID)	: CE2	
Hazard identification number (RID)	: 23	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1.1	Other means of identification	Added	
1.1	UFI	Added	
3	Composition/information on ingredients	Modified	

Full text of H- and EUH-statements:	
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1A	Flammable gases, Category 1A
Flam. Liq. 3	Flammable liquids, Category 3
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.